



# SAFETY DATA SHEET

## ROHM AND HAAS ELECTRONIC MATERIALS LLC

**Product name:** MICROPOSIT™ 351 DEVELOPER

**Issue Date:** 03/11/2015

**Print Date:** 10/23/2015

ROHM AND HAAS ELECTRONIC MATERIALS LLC encourages and expects you to read and understand the entire (M)SDS, as there is important information throughout the document. We expect you to follow the precautions identified in this document unless your use conditions would necessitate other appropriate methods or actions.

---

### 1. IDENTIFICATION

---

**Product name:** MICROPOSIT™ 351 DEVELOPER

**Recommended use of the chemical and restrictions on use**

**Identified uses:** Chemical Specialty

#### COMPANY IDENTIFICATION

ROHM AND HAAS ELECTRONIC MATERIALS LLC

A Subsidiary of The Dow Chemical Company

455 FOREST STREET

MARLBOROUGH MA 01752

UNITED STATES

**Customer Information Number:**

215-592-3000

[SDSQuestion@dow.com](mailto:SDSQuestion@dow.com)

#### EMERGENCY TELEPHONE NUMBER

**24-Hour Emergency Contact:** 1 800 424 9300

**Local Emergency Contact:** 800-424-9300

---

### 2. HAZARDS IDENTIFICATION

---

#### Hazard classification

This material is hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

Skin corrosion - Category 1B

Serious eye damage - Category 1

Reproductive toxicity - Category 1B

#### Label elements

**Hazard pictograms**



Signal word: **DANGER!**

#### Hazards

Causes severe skin burns and eye damage.  
May damage fertility or the unborn child.

#### Precautionary statements

##### Prevention

Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Wash skin thoroughly after handling.  
Wear protective gloves/ protective clothing/ eye protection/ face protection.  
Use personal protective equipment as required.

##### Response

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.  
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.  
IF exposed or concerned: Get medical advice/ attention.  
Wash contaminated clothing before reuse.

##### Storage

Store locked up.

##### Disposal

Dispose of contents/ container to an approved waste disposal plant.

#### Other hazards

no data available

---

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

---

**Chemical nature:** Aqueous solution of inorganic compounds

This product is a mixture.

Component	CASRN	Concentration
Water	7732-18-5	85.0 - 95.0 %

Boron sodium oxide (B4Na2O7)	1330-43-4	1.0 - 10.0 %
Sodium hydroxide	1310-73-2	1.0 - 5.0 %

---

## 4. FIRST AID MEASURES

---

### Description of first aid measures

**General advice:** If potential for exposure exists refer to Section 8 for specific personal protective equipment. First Aid responders should pay attention to self-protection and use the recommended protective clothing

**Inhalation:** Remove from exposure. If there is difficulty in breathing, give oxygen. Immediate medical attention is required.

**Skin contact:** Immediately flush the skin with large quantities of water, preferably under a shower. If skin contact occurs, remove contaminated clothing and wash skin thoroughly. Continue washing for at least 20 minutes. Contaminated clothing should be washed or dry- cleaned before re-use. Immediate medical attention is required.

**Eye contact:** Immediately flush the eye with plenty of water for at least 20 minutes, holding the eye open. Immediate medical attention is required.

**Ingestion:** Do NOT induce vomiting. Wash out mouth with water. Have victim drink 1-3 glasses of water to dilute stomach contents. Immediate medical attention is required. Never administer anything by mouth if a victim is losing consciousness, is unconscious or is convulsing.

**Most important symptoms and effects, both acute and delayed:** Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), any additional important symptoms and effects are described in Section 11: Toxicology Information.

### Indication of any immediate medical attention and special treatment needed

**Notes to physician:** Treat symptomatically. Treat skin burns conventionally.

---

## 5. FIREFIGHTING MEASURES

---

**Suitable extinguishing media:** Use water spray, foam, dry chemical or carbon dioxide.

**Unsuitable extinguishing media:** no data available

### Special hazards arising from the substance or mixture

**Hazardous combustion products:** no data available

**Unusual Fire and Explosion Hazards:** This product may give rise to hazardous vapors in a fire.

### Advice for firefighters

**Fire Fighting Procedures:** Keep people away. Isolate fire and deny unnecessary entry.

**Special protective equipment for firefighters:** Wear full protective clothing and self-contained breathing apparatus.

---

## 6. ACCIDENTAL RELEASE MEASURES

---

**Personal precautions, protective equipment and emergency procedures:** Wear suitable protective clothing. Wear respiratory protection. Material can create slippery conditions.

**Environmental precautions:** Prevent the material from entering drains or water courses. Do not discharge directly to a water source. Advise Authorities if spillage has entered watercourse or sewer or has contaminated soil or vegetation.

**Methods and materials for containment and cleaning up:** Spills may be absorbed with appropriate absorbent material for alkaline materials. Transfer into suitable containers for recovery or disposal.

---

## 7. HANDLING AND STORAGE

---

**Precautions for safe handling:** Use local exhaust ventilation. Avoid contact with eyes, skin and clothing. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Avoid breathing vapor. Keep container tightly closed.

**Conditions for safe storage:** Store in original container. Storage area should be: cool dry well ventilated out of direct sunlight away from incompatible materials  
Practice good personal hygiene to prevent accidental exposure.

---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

---

### Control parameters

Exposure limits are listed below, if they exist.

Component	Regulation	Type of listing	Value/Notation
Boron sodium oxide (B4Na2O7)	OSHA P0	TWA	10 mg/m3
	ACGIH	TWA Inhalable fraction	2 mg/m3
	ACGIH	STEL Inhalable fraction	6 mg/m3
Sodium hydroxide	ACGIH	C	2 mg/m3
	OSHA Z-1	TWA	2 mg/m3

### Exposure controls

**Engineering controls:** Engineering methods to prevent or control exposure are preferred. Methods include process or personnel enclosure, mechanical ventilation (local exhaust), and control of process conditions.

### Individual protection measures

**Eye/face protection:** Chemical goggles and face shield.

#### Skin protection

**Hand protection:** Neoprene gloves. Other chemical resistant gloves may be recommended by your safety professional. Gauntlet sleeves.

**Other protection:** rubber or neoprene apron

**Respiratory protection:** Respiratory protection if there is a risk of exposure to high vapor concentrations. The specific respirator selected must be based on the airborne concentration found in the workplace and must not exceed the working limits of the respirator.

---

**9. PHYSICAL AND CHEMICAL PROPERTIES**

---

<b>Appearance</b>	
Physical state	liquid
Color	colourless
Odor	no data available
Odor Threshold	no data available
pH	> 12
Melting point/range	0 °C ( 32 °F)
Freezing point	no data available
Boiling point (760 mmHg)	> 100 °C (> 212 °F)
Flash point	Not applicable
Evaporation Rate (Butyl Acetate = 1)	no data available
Flammability (solid, gas)	Not Applicable
Lower explosion limit	no data available
Upper explosion limit	no data available
Vapor Pressure	2.3 hPa at 20 °C (68 °F)
Relative Vapor Density (air = 1)	no data available
Relative Density (water = 1)	1
Water solubility	Miscible
Partition coefficient: n-octanol/water	no data available
Auto-ignition temperature	no data available
Decomposition temperature	no data available
Kinematic Viscosity	no data available
Explosive properties	no data available
Oxidizing properties	no data available
Molecular weight	no data available
Volatile Organic Compounds	0.00 g/L

NOTE: The physical data presented above are typical values and should not be construed as a specification.

---

**10. STABILITY AND REACTIVITY**

---

**Reactivity:** no data available

**Chemical stability:** Stable under normal conditions.

**Possibility of hazardous reactions:** No dangerous reaction known under conditions of normal use. Product will not undergo hazardous polymerization.

**Conditions to avoid:** contact with incompatible materials

**Incompatible materials:** Acids.

**Hazardous decomposition products:** None known.

---

## 11. TOXICOLOGICAL INFORMATION

---

*Toxicological information on this product or its components appear in this section when such data is available.*

### **Acute toxicity**

#### **Acute oral toxicity**

Product test data not available.

#### **Acute dermal toxicity**

Product test data not available.

#### **Acute inhalation toxicity**

Product test data not available.

### **Skin corrosion/irritation**

Product test data not available.

### **Serious eye damage/eye irritation**

Product test data not available.

### **Sensitization**

Product test data not available.

### **Specific Target Organ Systemic Toxicity (Single Exposure)**

Product test data not available.

### **Specific Target Organ Systemic Toxicity (Repeated Exposure)**

Product test data not available.

### **Carcinogenicity**

Product test data not available.

### **Teratogenicity**

Product test data not available.

### **Reproductive toxicity**

Product test data not available.

**Mutagenicity**

Product test data not available.

**Aspiration Hazard**

Product test data not available.

**COMPONENTS INFLUENCING TOXICOLOGY:**

**Boron sodium oxide (B4Na2O7)**

**Acute oral toxicity**

LD50, Rat, male, > 2,500 - < 5,000 mg/kg OECD Test Guideline 401

**Acute dermal toxicity**

For this family of materials: LD50, Rat, male and female, > 5,000 mg/kg

**Acute inhalation toxicity**

For this family of materials: LC50, Rat, male and female, 4 Hour, > 2.03 mg/l OECD Test Guideline 403 No deaths occurred at this concentration.

**Skin corrosion/irritation**

Essentially nonirritating to skin.

**Serious eye damage/eye irritation**

May cause moderate eye irritation.  
May cause slight corneal injury.

**Sensitization**

For this family of materials, sensitization studies done in guinea pigs have been negative.

For respiratory sensitization:

No relevant data found.

**Specific Target Organ Systemic Toxicity (Single Exposure)**

Evaluation of available data suggests that this material is not an STOT-SE toxicant.

**Specific Target Organ Systemic Toxicity (Repeated Exposure)**

For this family of materials:

In animals, effects have been reported on the following organs:

Testes.

Blood.

**Carcinogenicity**

For this family of materials: Did not cause cancer in laboratory animals.

**Teratogenicity**

In laboratory animals, boron compounds have caused birth defects only at doses toxic to the mother and have been toxic to the fetus at doses nontoxic to the mother.

**Reproductive toxicity**

In animal studies, boron compounds have been shown to interfere with fertility in males, and to a lesser degree in females.

**Mutagenicity**

For this family of materials: In vitro mutagenicity studies were negative. Animal genetic toxicity studies were negative.

**Aspiration Hazard**

Based on physical properties, not likely to be an aspiration hazard.

**Sodium hydroxide**

**Acute oral toxicity**

Single dose oral LD50 has not been determined.

**Acute dermal toxicity**

The dermal LD50 has not been determined.

**Acute inhalation toxicity**

The LC50 has not been determined.

**Skin corrosion/irritation**

Brief contact may cause severe skin burns. Symptoms may include pain, severe local redness and tissue damage.

**Serious eye damage/eye irritation**

May cause severe irritation with corneal injury which may result in permanent impairment of vision, even blindness. Chemical burns may occur.

Dust may irritate eyes.

**Sensitization**

Did not cause allergic skin reactions when tested in humans.

For respiratory sensitization:

No relevant data found.

**Specific Target Organ Systemic Toxicity (Single Exposure)**

Available data are inadequate to determine single exposure specific target organ toxicity.

**Specific Target Organ Systemic Toxicity (Repeated Exposure)**

Based on available data, repeated exposures are not anticipated to cause additional significant adverse effects.

**Carcinogenicity**

No relevant data found.

**Teratogenicity**

No relevant data found.

**Reproductive toxicity**

No relevant data found.

**Mutagenicity**

In vitro genetic toxicity studies were negative.

**Aspiration Hazard**

Aspiration into the lungs may occur during ingestion or vomiting, causing tissue damage or lung injury.



**Carcinogenicity**

Not considered carcinogenic by NTP, IARC, and OSHA

---

---

**12. ECOLOGICAL INFORMATION**

---

---

*Ecotoxicological information on this product or its components appear in this section when such data is available.*

**Toxicity****Boron sodium oxide (B4Na2O7)****Acute toxicity to fish**

Material is slightly toxic to fish on an acute basis (LC50 between 10 and 100 mg/L).  
LC50, dab (*Limanda limanda*), flow-through, 96 Hour, 74 mg/l, OECD Test Guideline 203

**Acute toxicity to aquatic invertebrates**

For this family of materials:  
LC50, *Daphnia magna* (Water flea), 48 Hour, 141 mg/l

**Acute toxicity to algae/aquatic plants**

EC50, Algae (*Scenedesmus subspicatus*), semi-static test, 72 Hour, Growth rate inhibition, 158 mg/l, OECD Test Guideline 201 or Equivalent

**Sodium hydroxide****Acute toxicity to fish**

May increase pH of aquatic systems to > pH 10 which may be toxic to aquatic organisms.

**Persistence and degradability****Boron sodium oxide (B4Na2O7)**

**Biodegradability:** Biodegradation is not applicable.

**Sodium hydroxide**

**Biodegradability:** Biodegradation is not applicable.

**Bioaccumulative potential****Boron sodium oxide (B4Na2O7)**

**Bioaccumulation:** No relevant data found.  
**Bioconcentration factor (BCF):** 0.16 - 0.78

**Sodium hydroxide**

**Bioaccumulation:** No bioconcentration is expected because of the relatively high water solubility.

**Mobility in soil****Boron sodium oxide (B4Na2O7)**

No relevant data found.

**Sodium hydroxide**

Potential for mobility in soil is very high (Koc between 0 and 50).

**Partition coefficient(Koc):** 14 Estimated.

---

### 13. DISPOSAL CONSIDERATIONS

---

**Disposal methods:** Dispose in accordance with all local, state (provincial), and federal regulations. Under RCRA, it is the responsibility of the product's user to determine at the time of disposal, whether the product meets RCRA criteria for hazardous waste. This is because the product uses, transformations, mixtures, processes, etc. may render the resulting materials hazardous.

**Treatment and disposal methods of used packaging:** Empty containers retain product residues. Follow label warnings even after container is emptied. Improper disposal or reuse of this container may be dangerous and illegal. Refer to applicable federal, state and local regulations.

---

### 14. TRANSPORT INFORMATION

---

**DOT**

<b>Proper shipping name</b>	Sodium hydroxide solution
<b>UN number</b>	UN 1824
<b>Class</b>	8
<b>Packing group</b>	II
<b>Reportable Quantity</b>	Sodium hydroxide

**Classification for SEA transport (IMO-IMDG):**

<b>Proper shipping name</b>	SODIUM HYDROXIDE SOLUTION
<b>UN number</b>	UN 1824
<b>Class</b>	8
<b>Packing group</b>	II
<b>Marine pollutant</b>	No
<b>Transport in bulk according to Annex I or II of MARPOL 73/78 and the IBC or IGC Code</b>	Consult IMO regulations before transporting ocean bulk

**Classification for AIR transport (IATA/ICAO):**

<b>Proper shipping name</b>	Sodium hydroxide solution
<b>UN number</b>	UN 1824
<b>Class</b>	8
<b>Packing group</b>	II

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

---

## 15. REGULATORY INFORMATION

---

### OSHA Hazard Communication Standard

This product is considered hazardous under the OSHA Hazard Communication Standard (29 CFR 1910.1200).

### Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Sections 311 and 312

Immediate health hazard

### Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Section 313

This product does not contain a chemical which is listed in Section 313 at or above de minimis concentrations.

### California (Proposition 65)

This product does not contain materials which the State of California has found to cause cancer, birth defects or other reproductive harm.

### United States TSCA Inventory (TSCA)

All components of this product are in compliance with the inventory listing requirements of the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

:

---

## 16. OTHER INFORMATION

---

### Hazard Rating System

#### NFPA

Health	Fire	Reactivity
3	0	1

### Revision

Identification Number: 101141267 / 1304 / Issue Date: 03/11/2015 / Version: 2.0

Most recent revision(s) are noted by the bold, double bars in left-hand margin throughout this document.

### Legend

ACGIH	USA. ACGIH Threshold Limit Values (TLV)
C	Ceiling limit
OSHA P0	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
OSHA Z-1	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
STEL	Short-term exposure limit

TWA	8-hour, time-weighted average
-----	-------------------------------

**Information Source and References**

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

ROHM AND HAAS ELECTRONIC MATERIALS LLC urges each customer or recipient of this (M)SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this (M)SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific (M)SDSs, we are not and cannot be responsible for (M)SDSs obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the (M)SDS you have is current, please contact us for the most current version.