

SAFETY DATA SHEET

1. Identification

Product identifier: HEXAMETHYLDISILAZANE

Other means of identification

Product No.: N152, 5797, 9362, 9352

Recommended use and restriction on use

Recommended use: Not available.

Restrictions on use: Not known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company Name: Avantor Performance Materials, Inc.
Address: 3477 Corporate Parkway, Suite 200
Center Valley, PA 18034

Telephone: Customer Service: 855-282-6867

Fax:
Contact Person: Environmental Health & Safety
e-mail: info@avantormaterials.com

Emergency telephone number:

24 Hour Emergency: 908-859-2151

Chemtrec: 800-424-9300

2. Hazard(s) identification

Hazard classification

Physical hazards

Flammable liquids Category 2

Health hazards

Acute toxicity (Oral) Category 4

Acute toxicity (Dermal) Category 3

Acute toxicity (Inhalation - vapor) Category 3

Skin corrosion/irritation Category 1B

Environmental hazards

Acute hazards to the aquatic environment Category 3

Label elements

Hazard symbol:



Signal word: Danger

Hazard statement: Highly flammable liquid and vapor.
Harmful if swallowed.
Toxic in contact with skin.
Toxic if inhaled.
Causes severe skin burns and eye damage.
Harmful to aquatic life.

Precautionary statement

Prevention: Keep away from heat/sparks/open flames/hot surfaces. No smoking. Take precautionary measures against static discharge. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Use only outdoors or in a well-ventilated area. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid release to the environment.

Response: IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician.

Other hazards which do not result in GHS classification: None.

3. Composition/information on ingredients

Substances

| Chemical identity | Common name and synonyms | CAS number | Content in percent (%)* |
|-----------------------|--------------------------|------------|-------------------------|
| HEXAMETHYLDISILAZAN E | | 999-97-3 | 100% |

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

General information: Get medical advice/attention if you feel unwell. Show this safety data sheet to the doctor in attendance.

Ingestion: Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical attention if symptoms occur.

Inhalation: Move to fresh air. Get medical attention if symptoms persist.

Skin contact: Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention if irritation persists after washing. Wash contaminated clothing before reuse. Destroy or thoroughly clean contaminated shoes.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention if irritation persists after washing.

Most important symptoms/effects, acute and delayed

Symptoms: Irritating to eyes, respiratory system and skin.

Indication of immediate medical attention and special treatment needed

Treatment: Treat symptomatically. Symptoms may be delayed.

5. Fire-fighting measures

General fire hazards: Highly flammable liquid and vapour. In case of fire and/or explosion do not breathe fumes.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: Water spray, foam, dry powder or carbon dioxide.

Unsuitable extinguishing media: Avoid water in straight hose stream; will scatter and spread fire.

Specific hazards arising from the chemical: Vapors may cause a flash fire or ignite explosively. Vapors may travel considerable distance to a source of ignition and flash back. Prevent buildup of vapors or gases to explosive concentrations. Heat may cause the containers to explode.

Special protective equipment and precautions for firefighters

Special fire fighting procedures: Use water spray to keep fire-exposed containers cool. Water may be ineffective in fighting the fire. Fight fire from a protected location. Move containers from fire area if you can do so without risk.

Special protective equipment for fire-fighters: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep unauthorized personnel away. Keep upwind. Use personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. See Section 8 of the MSDS for Personal Protective Equipment.

Methods and material for containment and cleaning up: Eliminate all ignition sources if safe to do so. Take precautionary measures against static discharges. Stop leak if possible without any risk. Use only non-sparking tools. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Dike far ahead of larger spill for later recovery and disposal.

Notification Procedures: Prevent entry into waterways, sewer, basements or confined areas. Inform authorities if large amounts are involved.

Environmental precautions: Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid release to the environment.

7. Handling and storage

| | |
|--|--|
| Precautions for safe handling: | DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Take precautionary measures against static discharges. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Wear protective gloves/protective clothing/eye protection/face protection. Use only with adequate ventilation. Wash hands thoroughly after handling. Avoid contact with skin. Avoid contact with eyes. Keep away from heat/sparks/open flames/hot surfaces. No smoking. Do not breathe dust/fume/gas/mist/vapors/spray. Wash contaminated clothing before reuse. |
| Conditions for safe storage, including any incompatibilities: | Keep away from food, drink and animal feeding stuffs. Keep container tightly closed in a cool, well-ventilated place. Ground container and transfer equipment to eliminate static electric sparks. Comply with all national, state, and local codes pertaining to the storage, handling, dispensing, and disposal of flammable liquids. Store locked up. |

8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

None of the components have assigned exposure limits.

Appropriate engineering controls

No data available.

Individual protection measures, such as personal protective equipment

| | |
|--------------------------------|--|
| General information: | Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the immediate work area. Use explosion-proof ventilation equipment. |
| Eye/face protection: | Wear safety glasses with side shields (or goggles). |
| Skin protection | |
| Hand protection: | Chemical resistant gloves |
| Other: | Wear suitable protective clothing. |
| Respiratory protection: | In case of inadequate ventilation use suitable respirator. |
| Hygiene measures: | Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Provide eyewash station and safety shower. |

9. Physical and chemical properties

Appearance

| | |
|------------------------|--------------------|
| Physical state: | Liquid |
| Form: | Liquid |
| Color: | Colorless |
| Odor: | Ammonia-like odor |
| Odor threshold: | No data available. |

| | |
|--|--|
| pH: | 8.5 |
| Melting point/freezing point: | -70 °C |
| Initial boiling point and boiling range: | 125 °C |
| Flash Point: | 14 °C (Closed Cup) |
| Evaporation rate: | < 1 (butyl acetate=1) |
| Flammability (solid, gas): | No data available. |
| Upper/lower limit on flammability or explosive limits | |
| Flammability limit - upper (%): | 16.3 %(V) |
| Flammability limit - lower (%): | 0.8 %(V) |
| Explosive limit - upper (%): | No data available. |
| Explosive limit - lower (%): | No data available. |
| Vapor pressure: | 1.8 kPa (25 °C) |
| Vapor density: | 4.6 |
| Relative density: | 0.77 (20 °C) |
| Solubility(ies) | |
| Solubility in water: | No data available. |
| Solubility (other): | No data available. |
| Partition coefficient (n-octanol/water): | 2.62 |
| Auto-ignition temperature: | 325 °C |
| Decomposition temperature: | No data available. |
| Viscosity: | 0.90 mm ² /s |
| Other information | |
| Molecular weight: | 161.4 g/mol (C ₆ H ₁₉ NSi ₂) |

10. Stability and reactivity

| | |
|--|---|
| Reactivity: | No dangerous reaction known under conditions of normal use. |
| Chemical stability: | Material is stable under normal conditions. |
| Possibility of hazardous reactions: | Hazardous polymerization does not occur. |
| Conditions to avoid: | Heat, sparks, flames. Moisture. Contact with incompatible materials. |
| Incompatible materials: | Strong oxidizing agents. Flammable/combustible material. Acids. Alcohols. Alkalies. Amines. Isocyanates. Peroxides. Phenols. Water. Moisture. |
| Hazardous decomposition products: | Fire or excessive heat may produce hazardous decomposition products. Formaldehyde. Oxides of Carbon. Nitrogen Oxides |

11. Toxicological information

Information on likely routes of exposure

| | |
|----------------------|---|
| Ingestion: | Harmful if swallowed. |
| Inhalation: | Toxic if inhaled. |
| Skin contact: | Toxic in contact with skin. Causes severe skin burns. |
| Eye contact: | Causes serious eye damage. |

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: LD 50 (Rat): 847 mg/kg
LD 50 (Mouse): 850 mg/kg

Dermal

Product: No data available.

Inhalation

Product: LC 50 (Rat, 4 h): 8.7 mg/l
LC 50 (Mouse, 2 h): 12 mg/l

Repeated dose toxicity

Product: No data available.

Skin corrosion/irritation

Product: Toxic in contact with skin. Causes severe skin burns.

Serious eye damage/eye irritation

Product: Causes serious eye damage.

Respiratory or skin sensitization

Product: Not a skin sensitizer.

Carcinogenicity

Product: This substance has no evidence of carcinogenic properties.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ cell mutagenicity

In vitro

Product: No mutagenic components identified

In vivo

Product: No mutagenic components identified

Reproductive toxicity

Product: No components toxic to reproduction

Specific target organ toxicity - single exposure

Product: No data available.

Specific target organ toxicity - repeated exposure

Product: No data available.

Aspiration hazard

Product: Not classified

Other effects:

None known.

12. Ecological information**Ecotoxicity:****Acute hazards to the aquatic environment:****Fish****Product:** No data available.**Aquatic invertebrates****Product:** No data available.**Chronic hazards to the aquatic environment:****Fish****Product:** No data available.**Aquatic invertebrates****Product:** No data available.**Toxicity to Aquatic Plants****Product:** No data available.**Persistence and degradability****Biodegradation****Product:** There are no data on the degradability of this product.**BOD/COD ratio****Product:** No data available.**Bioaccumulative potential****Bioconcentration factor (BCF)****Product:** No data available on bioaccumulation.**Partition coefficient n-octanol / water (log Kow)****Product:** Log Kow: 2.62**Mobility in soil:** No data available.**Other adverse effects:** Harmful to aquatic organisms.**13. Disposal considerations****Disposal instructions:** Discharge, treatment, or disposal may be subject to national, state, or local laws. Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.**Contaminated packaging:** Since emptied containers retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

UN number: UN 3286
 UN proper shipping name: Flammable liquid, toxic, corrosive, n.o.s.(HEXAMETHYLDISILAZANE)
 Transport hazard class(es)
 Class(es): 3, 6.1, 8
 Label(s): 3, 6.1, 8
 Packing group: II
 Marine Pollutant: No

IMDG

UN number: UN 3286
 UN proper shipping name: FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S.(HEXAMETHYLDISILAZANE)
 Transport hazard class(es)
 Class(es): 3, 6.1, 8
 Label(s): 3, 6.1, 8
 EmS No.: F-E, S-C
 Packing group: II
 Marine Pollutant: No

IATA

UN number: UN 3286
 Proper Shipping Name: Flammable liquid, toxic, corrosive, n.o.s.(HEXAMETHYLDISILAZANE)
 Transport hazard class(es):
 Class(es): 3, 6.1, 8
 Label(s): 3, 6.1, 8
 Marine Pollutant: No
 Packing group: II

15. Regulatory information

US federal regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

None present or none present in regulated quantities.

Superfund amendments and reauthorization act of 1986 (SARA)

Hazard categories

Acute (Immediate) Chronic (Delayed) Fire Reactive Pressure Generating

SARA 302 Extremely hazardous substance

None present or none present in regulated quantities.

SARA 304 Emergency release notification

None present or none present in regulated quantities.

SARA 311/312 Hazardous chemical

| Chemical identity | Threshold Planning Quantity |
|--------------------------|-----------------------------|
| HEXAMETHYLDISILAZAN E | 500 lbs |

SARA 313 (TRI reporting)

None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

US state regulations

US. California Proposition 65

No ingredient regulated by CA Prop 65 present.

US. New Jersey Worker and Community Right-to-Know Act

HEXAMETHYLDISILAZANE Listed

US. Massachusetts RTK - Substance List

No ingredient regulated by MA Right-to-Know Law present.

US. Pennsylvania RTK - Hazardous Substances

No ingredient regulated by PA Right-to-Know Law present.

US. Rhode Island RTK



No ingredient regulated by RI Right-to-Know Law present.

Inventory Status:

| | |
|--|--|
| Australia AICS: | On or in compliance with the inventory |
| Canada DSL Inventory List: | On or in compliance with the inventory |
| EINECS, ELINCS or NLP: | On or in compliance with the inventory |
| Japan (ENCS) List: | On or in compliance with the inventory |
| China Inv. Existing Chemical Substances: | Not in compliance with the inventory. |
| Korea Existing Chemicals Inv. (KECI): | On or in compliance with the inventory |
| Canada NDSL Inventory: | Not in compliance with the inventory. |
| Philippines PICCS: | On or in compliance with the inventory |
| US TSCA Inventory: | On or in compliance with the inventory |
| New Zealand Inventory of Chemicals: | On or in compliance with the inventory |
| Japan ISHL Listing: | On or in compliance with the inventory |
| Japan Pharmacopoeia Listing: | Not in compliance with the inventory. |

16. Other information, including date of preparation or last revision

NFPA Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe

Issue date: 06-19-2014

Revision date: No data available.

Version #: 1.0

Further information: No data available.

Disclaimer: THE INFORMATION PRESENTED IN THIS MATERIAL SAFETY DATA SHEET (MSDS/SDS) WAS PREPARED BY TECHNICAL PERSONNEL BASED ON DATA THAT THEY BELIEVE IN THEIR GOOD FAITH JUDGMENT IS ACCURATE. HOWEVER, THE INFORMATION PROVIDED HEREIN IS PROVIDED "AS IS," AND AVANTOR PERFORMANCE MATERIALS MAKES AND GIVES NO REPRESENTATIONS OR WARRANTIES WHATSOEVER, AND EXPRESSLY DISCLAIMS ALL WARRANTIES REGARDING SUCH INFORMATION AND THE PRODUCT TO WHICH IT RELATES, WHETHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING WITHOUT LIMITATION<(>,<)> WARRANTIES OF ACCURACY, COMPLETENESS, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY, STABILITY, AND FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING, COURSE OF PERFORMANCE, OR USAGE OF TRADE. THIS MSDS/SDS IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONARY HANDLING OF THE MATERIAL BY A PROPERLY TRAINED PERSON USING THIS PRODUCT, AND IS NOT INTENDED TO BE COMPREHENSIVE AS TO THE MANNER AND CONDITIONS OF USE, HANDLING, STORAGE, OR DISPOSAL OF THE PRODUCT. INDIVIDUALS RECEIVING THIS MSDS/SDS MUST ALWAYS EXERCISE THEIR OWN INDEPENDENT JUDGMENT IN DETERMINING THE APPROPRIATENESS OF SUCH ISSUES. ACCORDINGLY, AVANTOR PERFORMANCE MATERIALS ASSUMES NO LIABILITY WHATSOEVER FOR THE USE OF OR RELIANCE UPON THIS INFORMATION. NO SUGGESTIONS FOR USE ARE INTENDED AS, AND NOTHING HEREIN SHALL BE CONSTRUED AS, A RECOMMENDATION TO INFRINGE ANY EXISTING PATENTS OR TO VIOLATE ANY FEDERAL, STATE, LOCAL, OR FOREIGN LAWS. AVANTOR PERFORMANCE MATERIALS REMINDS YOU THAT IT IS YOUR LEGAL DUTY TO MAKE ALL INFORMATION IN THIS MSDS/SDS AVAILABLE TO YOUR EMPLOYEES.